

**MIAMI COUNTY HIGHWAY SUPERINTENDENT'S REQUISITION**  
**ITEMS# 1**  
**March 24, 2008**

TO THE AUDITOR OF MIAMI COUNTY, INDIANA  
THE FOLLOWING TOOLS, IMPLEMENTS, MACHINERY, SUPPLIES, MATERIALS AND  
EQUIPMENT ARE HEREBY REQUISITIONED FOR MAINTENANCE AND REPAIR OF  
COUNTY ROADS AND BRIDGES UNDER MY SUPERVISION.

| ITEM | QUANTITY | UNIT | DESCRIPTION | DATE WANTED |
|------|----------|------|-------------|-------------|
|------|----------|------|-------------|-------------|

**VENDORS SHALL STATE BASE OIL PRICE FOR ALL ITEMS BELOW  
AS OF APRIL 11, 2008. ALL BIDS MUST BE FIRM.  
AS REQUIRED FOR THE YEAR 2008.  
ALL MATERIALS SHALL MEET INDOT SPECIFICATIONS.**

**A) BITUMINOUS SEAL MATERIAL (NOT APPLIED)      600,000 gallons or less**  
Bituminous materials delivered to **Miami County Highway Department (MCHD)**. Delivery shall be made by truck transport as ordered. Delivery shall be to job site as described by **MCHD**. In the event of equipment failure or weather complications, supplier will take material back and credit **MCHD** for any unused returned material. **Vendor shall allow two hours for unloading transport. Vendor shall quote amount of demurrage if two hour limit is exceeded.**

**Bid: All Sealing grade Emulsions**

**B) BITUMINOUS SEAL MATERIAL – (NOT APPLIED)      60,000 gallons or less**  
Bituminous material, picked up by our distributor.

**Bid: Grades & Emulsions F.O.B. Plant**

**C) HOT ASPHALTIC CEMENT (PG64-22 OR PG58-28)      1,000 ton or less**  
Delivery shall be made by truck transport to location determined by **MCHD**. Destinations may include sites outside of Miami County (i.e. Fulton, Cass or Wabash Counties).

**D) HOT ASPHALTIC CONCRETE BASE, BINDER & SURFACE      15,000 ton or less**  
Furnished and loaded in **MCHD** trucks at vendor's plant.

**\*Vendor shall specify mix design as to percentage of rap in asphalt.**

**EXAMPLE: 9 surface – 25% RAP – vendor supplied.**

**EXAMPLE: 9 surface – 40% RAP – vendor supplied.**

\* denote example on item D, required on bid price

**E) HOT ASPHALTIC CONCRETE BASE, BINDER & SURFACE 15,000 ton or less**

Vendor shall furnish and apply with approved machine methods. Provide automatic paver and (two) steel wheel rollers, not weighing less than (ten) tons each with a necessary operator. Vendor shall provide all equipment, operator, laborers and foreman to lay, roll and finish the hot asphaltic mixture. The **MCHD** shall provide transportation for material from mix plant to job site.

**F) HOT MIX PLANT RENTAL FOR BASE, BINDER & SURFACE 10,000 ton or less**

Bid shall be on a per ton basis on the following:

- a.) **MCHD** to supply aggregate to plant and arranging for delivery of: PG 64-22 or PG 58-28 to plant site.
- b.) Vendor to supply aggregate on site and **MCHD** arranging for delivery of: PG 64-22 or PG 58-28 to plant site.

DETAILED SPECIFICATIONS FOR MACHINERY, EQUIPMENT AND MATERIALS ABOVE ARE HERETO ATTACHED.

Signed this day, 24<sup>th</sup> of March 2008

---

Miami County Highway Superintendent

